

<b>PRIMARY STANDARDS</b>				
<b>Parameter</b>	<b>Unit of Measurement</b>	<b>Range of Detection</b>	<b>Level Detected</b>	<b>MCL</b>
<b>Turbidity</b>	NTU	0.03 – 0.08	0.08	No sample >1 95% < 0.3
<b>Inorganic Chemicals</b>				
Nitrate	ppm	0.05	0.05	10
Sodium (optional)	ppm	16	16	(no MCL)
<b>Radionuclides</b>				
Uranium	ppb	0.25	0.25	30
Gross Alpha	pCi/L	2.0	2.0	15
Combined Radium	pCi/L	0.10	0.10	5
*All Radionuclides tested in 2013				
<b>SECONDARY STANDARDS / UNREGULATED CONTAMINANTS</b>				
pH	pH	7.71 – 8.43	8.08 avg.	
TDS	ppm	93 – 115	105 avg.	
Calcium	ppm	36 – 54	45 avg.	
Hardness	ppm	50 – 67	58 avg.	
Total Alkalinity as CaCO3	ppm	47 – 72	61 avg.	
Sulfate	ppm	26	26	
Giardia	# / 100L	0	0	
Cryptosporidium	# / 100L	0	0	
*Giardia and Cryptosporidium tested in 2015				

MCL – Maximum Contaminant Level  
ppm - Parts per Million  
ppb - Parts per Billion

pCi/L – Pico Curies per Liter  
RAA - Running Annual Average  
AL - Action Level